

To: MUIRFIELD DESIGN CONTROL COMMITTEE

Application for: PAINT/S	ΓΑΙΝ		
Date:	Lot #:	Phase #	
Name:	Addre	ss:	
Phone:	Ema	:	
proposed changes to my days to respond to this re enclosed <u>2 copies of this a</u> will be kept on file at the	home. I understand that the (quest and will respond soone application, all relevant detail	ntrol Committee (MDCC) to request a committee meets regularly, that they r, if possible. To expedite the process, and the design review fee. One copy er will be returned to me. I understar application include:	may take up to 30, please find of this application
☐ SIDING			
Brand	Color Number	Color Name	
□ ѕтиссо			
Brand	Color Number	Color Name	
☐ TRIM			
Brand	Color Number	Color Name	
☐ ACCENT COLORS FOR	ENTRY DOORS/SHUTTERS		
Brand	Color Number	Color Name	
□ Photos of house□ Paint samples□ Design Review fee pare□ Estimated Date of Corr			
My signature below certif Standards and on the Gui		y with all the requirements as outline	d in the Design
Owner Signature:		Date:	

Paint change Rev. 2022

PAINT and STAIN MAINTENANCE GUIDELINES

The Muirfield Design Standards, By-Laws and Warranty Deed require that the exterior of each house in Muirfield Village be maintained at a quality standard. In order for Muirfield Village to retain its desirability, properties must be regularly maintained.

Each house is unique and shows age at different intervals. The amount of sun, shade, dampness, sunlight, type of siding, amount of insulation and all types of weather are just a few things that have an aging effect on the exterior of the house. Whether the house has a type of siding, stone, stucco, brick, shakes, wood lap or other it is most likely that paint or stain is present as well.

As properties age they require more maintenance and improvements to prevent them from falling into disrepair. Regular routine inspection is essential to protecting the outside of the buildings. The following are examples of conditions that indicate that repair and/or replacement is necessary:

- Peeling or bubbling paint
- Significant cracks
- Bare wood showing through
- Mold, mildew, algae, moss, rotting, rust or other deteriorating condition
- Faded, thin and worn appearance
- Presence of wood/surface destroying insects
- · Holes in the siding or deck boards
- Evidence of water damage
- Evidence of weak base materials spongy, rotting, crumbling or other types of decay
- Gaps between materials and cracked, worn out caulking

Proper preparation of the surface is necessary to insure smooth application, good coverage and long-lasting results. Poorly primed surfaces soon show peeling and cracking – a waste of time and money.

Use of Color - The roof and side wall materials of each home shall be compatible with each other and must blend into a common color tone. Natural colors and natural materials blend easily together. When man-made materials are used, colors must blend with natural materials. Accent colors are permitted only on shutters and front entry doors, as approved by the Muirfield Design Control Committee.

The color palette of a home is composed of the main body of the home, trim, and accent colors. Awnings, shutters and roofs also contribute to the color scheme. The overall color scheme must reflect a complementary, uniform appearance. A two or three-color scheme is encouraged to provide visual appeal. The main body color is the dominant color of the home. The trim color is applied to architectural elements such as trim boards, windows, garage doors, entry and service doors, columns, porches, decks, play sets, etc. The trim color must be complimentary to the main body color. In a three-color scheme, the accent color can be used sparingly to highlight certain architectural elements, such as a front door and shutters.